serie big trailers 2023

ZACCARIA

QUALITY TRAILERS

GRAPE TRAILER
ZAM 240 BL DOUBLE BODY

OMOLOGATI MOTHER REGULATION 28 TONS max

OMOLOGATI MOTHER REGULATION 31 TONS max

ZAM 240 P03B BL DOUBLE

Standard equipment:
Approved 60 Km/h.
Double body watertight.
AISI 304 floureshed stainless steel body.
Hydraulic two-way tipping system. Indipendent body.
Watertight extension on right side with Hydraulic opening and PVC protection. Parabolic leaf spring suspensions with rod.
ZAM 270 Independent Hydraulic suspensions. with hydraulic lifting of front axle.
Brake regulator.
Industrial axles (10 studs);
Self-steering front/rear axles.
Stainless steel light bar.
PVC canister H20. PVC mudguard.
Hydraulic parking stand. PVC toolbox.
Lateral lights. Chrome wheel nut covers. Safety support.

Optionals:
Hydraulic opening of the double side extension
Electro-hydraulic unit with remote radio control.
Steering adjuster.
PVC manual covering.
Pneumatic PVC side covering for one or two sides.
Kit camera and monitor for reversing.
New: Steering drawbar with hydraulic command.
New: ABS : Anti-lock Braking System.
New: Alloy Wheels
Led lights.
Work lights.
Towing Hitch K80.
Towing hitch 40mm; Towing hitch F3.

NEW
Hydraulic suspensions on Mod. ZAM 270

NEW
Alloy Wheels on demand

MODEL	BODY DIMENSIONS cm	OVER SIDE H cm	HYDRAULIC SIDE H cm	VOLUME m^3	N° AXE	TARE Tons	GROSS W. Tons	TIRES	BRAKE	BRAKE SIZE
ZAM 240 P03B DOUBLE BL32	320x240x130 N° 2 BODY	70	70	24	3	6	24 + vertical load	385/55 R22,5 new	pneumatic	406x120 10 studs
ZAM 270 P03B DOUBLE BL32	320x240x130 N° 2 BODY			24		6	27 + vertical load			
ZAM 270 P03B DOUBLE BL35	350x240x130 N° 2 BODY			27		6				

VERNICIATURA STANDARD:
TELAIO (MONOCOLORE)
- ROSSO ZACCARIA
- VERDE ZACCARIA
- VERDE JD
- BLU NH
- NERO
- GRIGIO JC246

OPTIONALS:
- VERNICE METALLIZZATA
- COLORI A RICHIESTA

vineyard

ZAM 240 BL DOUBLE
with PVC manual covering

ZAM 240 BL DOUBLE detail

TECNICAL INFORMATION



MODEL Model	A mm	B mm	C mm	C1 mm	D mm	E mm	F mm	G gradi	H mm
ZAM 240 P03B DOUBLE BL32	2450	2000	2700	2510	2550	800	580	31	3600
ZAM 270 P03B DOUBLE BL32	2550					750			
ZAM 270 P03B DOUBLE BL35	2550					750			

NEW : Steering Drawbar with Hydraulic Command on demand. For all trailers «Mother Regulation».

Electro-hydraulic Unit with Remote control

GRAPE TRAILER
ZAM 240 BL SUPER

ZAM 240 BL

Standard equipment:
AISI 304 floureshed stainless steel body.
Hydraulic two-way tipping system by distributor.
Watertight extension on right side with hydraulic opening..
Parabolic leaf spring suspensions with rod.
ZAM 270 Independent hydraulic suspensions with hydraulic lifting of front axle.
Brake adjuster.
Industrial axles (10 studs);
Steering front & rear axles.
Stainless Steel Light bar
PVC Water tank. PVC mudguard.
Hydraulic parking stand. PVC Tool box.
Lateral lights. Chrome wheel nut covers.
Safety support.

Optionals:
Hydraulic opening of the double side extension
Electro-hydraulic unit with remote radio control.
Removable central stainless steel cloth-holder tube.
Steering adjuster.
PVC Manual Covering.
Pneumatic PVC side covering for one or two sides.

Kit camera and monitor for reversing.
NEW: ABS : Anti-lock Braking System
NEW: Alloy Wheels.
LED Lights.
Work Lights.
Towing Hitch K80.
Towing Hitch Bolted with jointed kneecap.

NEW
Hydraulic Suspensions on Mod. ZAM 270

on demand Speed 60 km/h

NEW
Alloy Wheels on demand

MODEL	BODY DIMENSIONS cm	OVER SIDE H cm	HYDRAULIC SIDE H cm	VOLUME m^3	N° Axle	TARE Tons	GROSS W. Tons	TIRES	BRAKE	BRAKE SIZE
ZAM 240P03A BL55 SUPER	550x240x130	60	60	20	3	5	24 + vertical load	385/55 R22,5 new	pneumatic	406x120 10 Studs.
ZAM 240P03A BL55 MAXI	550x240x130	70	70	21		5.3				
ZAM 240P03A BL60 MAXI	600x240x130	70	70	23		5.5				
ZAM 270P03A BL60 MAXI	600x240x130	70	70	23		5.8	27 + vertical load			

STANDARD COLOURS:
CHASSIS (monocolour)

- RED ZACCARIA
- GREEN ZACCARIA
- Green JD
- Blu NH
- Black
- GRAY JC246

OPTIONALS:

- Metallic colour
- Colours personalized

TECNICAL INFORMATION



MODEL Model	A mm	B mm	C mm	C1 mm	D mm	E mm	F mm	G gradi	H mm
ZAM 140 P02A BL45	2450	1900	2380	2280	2350	500	730	32	3400
ZAM 160 P02A BL 50	2450	1900	2500	2330	2550	640	750	31	3600
ZAM 160 P02A BL 50	2450	2000	2600	2410	2550	730	660	31	3600
ZAM 240 P03A BL 55	2450	2000	2600	2410	2550	730	660	31	3600
ZAM 240 P03A BL 55	2450	2000	2700	2510	2550	800	580	31	3600
ZAM 240 P03A BL 60	2450	2000	2700	2510	2550	800	580	31	3600
ZAM 270 P03A BL 60	2550	2000	2700	2510	2550	750	580	31	3600

TIRES

TIRES new
385/55 R22,5
Height **1000**; width **385**

Towing Hitch Bolted
All trailers

Optional:

Towing Hitch K80
All trailers M.R.

NEW : Steering Drawbar with Hydraulic Command on demand. For all trailers «Mother Regulation».

Tool box &
PVC Water tank

Optional:

Towing Hitch Bolted with jointed kneecap.

OMOLOGATI MOTHER REGULATION 20 TONS max

GRAPE TRAILER ZAM 160 BL

Standard equipment:

AISI 304 floureshed stainless steel watertight body.
Hydraulic two-way tipping system by distributor.
Watertight extension on right sidewith hydraulic opening..
Parabolic leaf spring suspensions with rod.
Brake adjuster.
Industrial axles (10 studs);
Steering rear axle
Stainless Steel Light bar
PVC Water tank. PVC mudguard.
Hydraulic parking stand. PVC Tool box.
Overside H 48 cm.
Lateral lights.
Chrome wheel nut covers.
Safety support.

Optionals:

Hydraulic opening of the double side extension
Electro-hydraulic unit with remote radio control.
Removable central stainless steel cloth-holder tube.
Steering adjuster.
PVC Manual Covering.
Pneumatic PVC side covering for one or two sides.

Kit camera and monitor for reversing.
NEW: ABS : Anti-lock Braking System.
NEW: Alloy Wheels.
LED Lights.
Work Lights.
Towing Hitch K80.
Towing Hitch Bolted with jointed kneecap..

ZAM 160 BL

on demand
Speed 60 km/h

NEW
Alloy Wheels on demand

STANDARD COLOURS
CHASSIS (mono-colour)

- RED ZACCARIA
- GREEN ZACCARIA
- GREEN JD
- Blu NH
- BLACK
- Gray JC246

OPTIONALS:

- Metallic colours
- Colours personalized

MODEL	BODY DIMENSIONS cm	OVER SIDE H cm	HYDRAULIC SIDE H cm	VOLUME m^3	N° AXLE	TARE Tons	GROSS W. Tons	TIRES	BRAKE	BRAKE SIZE
ZAM 140P02ABL45	450x220x120	48	48	13	2	3.4	14 + vertical load	385/55 R22,5 new	Pneumatic	406x120 10 Studs
ZAM 160P02ABL50	500x240x130	48	48	16		4.0	16 + vertical load			
ZAM 160P02ABL50 SUPER	500x240x130	60	60	18		4.2				

GRAPE TRAILER
ZAM 200 BL

Standard equipment:
Watertight body.
AISI 304 floureshed stainless steel body..
Hydraulic two-way tipping system
by tractor distributor.
Watertight extension on right side
with hydraulic opening..
Parabolic leaf spring suspensions
Regulating connecting rod.
Pneumatic brake with brake adjuster.
Industrial axles (10 studs);
Steering front & rear axles.
Stainless Steel Light bar
Tanica H20 in PVC.
Parafanghi PVC.
Hydraulic parking stand.
PVC Tool box.

Optionals:
Hydraulic opening of the double side extension
Electro-hydraulic unit with remote radio control.
Steering adjuster.
PVC Manual Covering.
PVC Lateral covering with pneumatic operation.
(right side or both sides) .
Kit camera and monitor for reversing..
LED Lights.
Work Lights.

ZAM 200 BL

MODEL	BODY DIMENSIONS cm	OVER SIDE H cm	HYDRAULIC SIDES H cm	VOLUME m³	N° AXLE	TARE Tons	GROSS W. Tons	TIRES	BRAKE	BRAKE SIZE
ZAM 200BLP SUPER	550x240x130	60	60	20	3	4.7	20	385/55 R22,5 new	pneumatic	406x120 10 Studs
ZAM 200BLI SUPER									Hydraulic	

STANDARD COLOURS
CHASSIS (mono-colour)

- RED ZACCARIA
- GREEN ZACCARIA
- Green JD
- Blu NH
- Black
- Gray JC246

OPTIONALS:

- Metallic
- Personalized

ZAM 140 BL

ZAM 120 BL
With PVC Covering
Pneumatic operation

STANDARD COLOURS
CHASSIS(mono-colour)

- RED ZACCARIA
- GREEN ZACCARIA
- Green JD
- Blue NH
- Black
- Gray JC246

OPTIONALS:

- Metallic
- Personalized

GRAPE TRAILER
ZAM 120 BL / ZAM 140 BL

Standard equipment:
AISI 304 floureshed stainless steel watertight body.
Hydraulic two-way tipping system by distributor.
Watertight extension on right side
with hydraulic opening..
Parabolic leaf spring suspensions with rod.
Pneumatic brake with brake adjuster.
Steering rear axle
Stainless Steel Light bar
PVC Water tank. PVC mudguard.
Hydraulic parking stand. PVC Tool box.
Overside H 48 cm.

Optionals:
Hydraulic opening of the double side extension
Electro-hydraulic unit with remote radio control.
Removable central stainless steel cloth-holder
Steering adjuster. PVC Manual Covering.
PVC Lateral covering with pneumatic
operation. LED Lights.
Work Lights.

MODEL	BODY DIMENSIONS cm	OVER SIDE H cm	HYDRAULIC SIDE H cm	VOLUME m³	N° AXLE	TARE Tons	GROSS W. Tons	TIRES	BRAKE	BRAKE SIZE
ZAM 120 BLP	450x220x120	48	48	13	2	2.9	12	385/55 R19,5 new	pneumatic	300x90 8 Studs
ZAM 120 BLI									Hydraulic	
ZAM 140BL45P	450x220x120	48	48	13	2	3.2	14	385/55 R22,5 new	pneumatic	400x80 10 Studs
ZAM 140BL45I									Hydraulic	
ZAM 140BL50P	500x240x130	48	48	16,5	2	3.9	14		pneumatic	
ZAM 140BL50I									Hydraulic	

GRAPE TRAILER
ZAM 60 BL

Standard equipment:
AISI 304 floureshed stainless steel watertight body.
Hydraulic two-way tipping system by tractor distributor.
Fixed sides (**without hydraulic side**).
Galvanised light bar.
PVC mudguards. Manual parking stand
PVC Tool box.

Optionals:
Removable central stainless steel cloth-holder tube.
PVC Tank for water
PVC Manual Covering
Hydraulic parking stand.

ZAM 60 BL

STANDARD COLOURS:
CHASSIS (mono-colour)

- RED ZACCARIA
- GREEN ZACCARIA
- Green
- Blu NH
- Black
- Gray JC246

OPTIONALS:

- metallic colours
- Colours personalized

MODEL	BODY DIMENSIONS cm	OVER SIDE H cm	HYDRAULIC SIDE H cm	VOLUME m^3	N° AXLE	TARE Tons	GROSS W. Tons	TIRES	BRAKE	BRAKE SIZE
ZAM 60 BLP	390x210x120	20	-	8	1	15	6	355/50 R22,5 used	Hydraulic	300x90

vineyard

ONE AXLE DUMPER
ZAM 25/40/50 D
(from 25 to 50 Tons)

Application of
Grape tank on platform

TECNICAL INFORMATION



MODEL Model	A mm	B mm	C mm	C1 mm	D mm	E mm	F mm	G gradi	H mm
ZAM 60 BL	2100	1750	1950	-	2250	550	950	35	3300
ZAM 120 BL	2250	1800	2300	2200	2350	600	650	32	3350
ZAM 140 BL 45	2300	1850	2350	2250	2350	600	700	32	3400
ZAM 140 BL 50	2300	2000	2500	2400	2550	650	750	31	3600
ZAM 200 BL	2450	2000	2630	2490	2550	725	660	31	3600

ZAM 60DPN in Stainless steel Inox
(from 9 to 12 m³)

PVC Covering System

PVC Manual Covering
front sliding
with crank.

PVC Lateral Covering
Pneumatic operation
Right side.
activation by remote control.

PVC Lateral Covering
Pneumatic operation
Both sides,
With upside for covering
activation by remote control.

vineyard

zaccariarimorchi.com

ZACCARIA
QUALITY TRAILERS

ZACCARIA SRL
Via Enrico Fermi, 350
I - 41055 Montese (Modena) - Italy
Tel. +39 (0)59 981750
Fax: +39 (0)59 982353
www.zaccariarimorchi.com
info@zaccariarimorchi.com

www.facebook.com/zaccariarimorchi
www.linkedin.com/company/zaccaria-srl.
www.youtube.com/zaccariatrailers
www.instagram.com/zaccaria_rimorchi

Branches and Warehouse

I - 41015 Nonantola (Modena)
Via Zuccola, 12 - Italy

Scan the QR CODE
To view
our VIDEO
zaccaria trailers youtube